

User Interface

Example of main() with UI/Vis

Igor Semeniouk
LLR, CNRS - Ecole Polytechnique

Slides from Laurent GARNIER, IRISA / INS2I / CNRS

Based on Makoto Asai (SLAC) slides



Generic main() function

```
#include "EDDetectorConstruction.hh"
#include "EDAActionInitialization.hh"
#include "G4RunManager.hh"
#include "FTFP_BERT.hh"
int main(int argc,char** argv)
{
    // Create User Interface and enter in interactive session (1)

    // Construct the default run manager
    G4RunManager* runManager = new G4RunManager; // Detector construction

    runManager->SetUserInitialization(new EDDetectorConstruction());

    // Physics list
    G4VModularPhysicsList* physicsList = new FTFP_BERT; runManager->
    SetUserInitialization(physicsList);

    // User action initialization
    runManager->SetUserInitialization(new EDActionInitialization()); // Initialize G4 kernel

    runManager->Initialize();

    // Create User Interface and enter in interactive session (2)
}
```

User interface

- The user command interface (UI) is set via the **G4UIExecutive** class
 - UI represent the interactive session where users can type Geant4 commands which are then executed with means of **G4UImanager**
 - It can handle the program arguments (argc, argv)

```
int main(int argc,char** argv)
{
    G4UIExecutive* ui = new G4UIExecutive(argc, argv);
    ...
    ui->SessionStart();
}
```

Visualisation

- The visualization manager is set via the **G4VisExecutive** class

```
int main(int argc,char** argv)
{
    G4UIExecutive* ui = new G4UIExecutive(argc, argv);
    ...
    G4VisManager* visManager = new G4VisExecutive;
    visManager->Initialize();
    ...
    ui->SessionStart();
}
```

Start a macro

- Typically before starting the UI session, the visualization driver is initialized via a set of visualization commands in the macro `init_vis.mac`

```
int main(int argc,char** argv)
{
    G4UIExecutive* ui = new G4UIExecutive(argc, argv);
    ...
    G4VisManager* visManager = new G4VisExecutive;
    visManager->Initialize();
    ...
    G4UImanager* UImanager = G4UImanager::GetUIpointer();
    UImanager->ApplyCommand("/control/execute init_vis.mac");
    ...
    ui->SessionStart();
}
```

Start a GUI macro

- Since Geant4.10.3, a default macro icons is already defined if the application is run with a graphical qt user interface. But it can also be enhance with commands defined in a macro, icons.mac. Don't forget to disable defaults icon set with “**/gui/defaultIcons**” in that case

```
int main(int argc,char** argv) {  
    G4UIExecutive* ui = new G4UIExecutive(argc, argv);  
    ...  
    G4VisManager* visManager = new G4VisExecutive;  
    visManager->Initialize();  
    ...  
    G4UImanager* UImanager = G4UImanager::GetUIpointer();  
    UImanager->ApplyCommand("/control/execute init_vis.mac");  
    if (ui->IsGUI()) {  
        UImanager->ApplyCommand("/gui/defaultIcons false");  
        UImanager->ApplyCommand("/control/execute icons.mac");  
    }  
    ...  
    ui->SessionStart();  
}
```

Batch mode

- Finally, we will add a “batch” mode:
 - % myApplication run.mac

The program arguments are passed in main() program via the arguments:

argc = number of arguments

argv = the array of the arguments as

```
int main(int argc,char** argv). {
G4UIExecutive* ui = 0;
if ( argc == 1 ) {
    ui = new G4UIExecutive(argc, argv);
}
...
if ( ! ui ) {
    // Batch mode
    G4String command = "/control/execute ";
    G4String fileName = argv[1];
    UImanager->ApplyCommand(command+fileName);
}
else {
    // Define interactive UI session
}
```

Example of main - part 2

```
int main(int argc,char** argv) {
// Detect interactive mode (if no arguments) and define UI session
G4UIExecutive* ui = 0;
if ( argc == 1 ) {
    ui = new G4UIExecutive(argc, argv);
}
// Construct the default run manager
.....
// Initialize visualization
G4VisManager* visManager = new G4VisExecutive;
visManager->Initialize();
// Get the pointer to the User Interface manager
G4UImanager* UImanager = G4UImanager::GetUIpointer();

if ( ! ui ) {
    // Batch mode
    G4String command = "/control/execute ";
    G4String fileName = argv[1];
    UImanager->ApplyCommand(command+fileName);

}
else {

    // Interactive mode
    UImanager->ApplyCommand("/control/execute init_vis.mac");
    ui->SessionStart();
}
```