



GEANT4
A SIMULATION TOOLKIT



UNIVERSITÉ
SPARIS
SUD

Comprendre le monde,
construire l'avenir®

Analysis

I. Hrivnacova, IJCLab Orsay

Geant4 IN2P3 and ED PHENIX Tutorial,
22 – 26 May 2023, IJCLab

Outline

- Introduction
- Geant4 analysis tools
 - Using Geant4 analysis
 - Histograms, ntuples, analysis UI commands
 - Reader, batch and interactive graphics
- Using external analysis tools
 - ROOT, Plotting CSV

Geant4 Analysis Tools

Geant4 Analysis Tools

- Provides code to write **histograms** and **“flat ntuples”** in several formats:
 - **ROOT, XML AIDA format, CSV, HDF5**
- Based on g4tools from inlib/exlib developed by G. Barrand (LAL):
<http://inexlib.lal.in2p3.fr/>
 - “Pure header code” - all code is inlined, can be installed, besides Geant4 supported platforms, also on iOS, Android
- Area of new developments and improvements: more features are added in each release
 - For example support for HDF5 output type in 10.4, support for multiple files output in 10.7

Using Geant4 Analysis

Basic steps:

- 1) Create `G4AnalysisManager`
- 2) Book (create) your histograms, ntuples
- 3) Open a file
- 4) Fill values in histograms, ntuples
- 5) Write & close file

1) Create Analysis Manager

- The analysis manager is created with the first call to `G4AnalysisManager::Instance()` function

RunAction.cc

```
#include "G4AnalysisManager.hh"

RunAction::RunAction()
{
    // Create analysis manager
    auto analysisManager = G4AnalysisManager::Instance();
    analysisManager->SetVerboseLevel(1);
    analysisManager->SetDefaultFileType("root");
}
```

If the default file type is set, the filenames can be provided without extension

2) Book (Create) Histograms

- Example of creating one-dimensional histograms

RunAction.cc

```
#include "G4AnalysisManager.hh"

RunAction::RunAction()
{
    // Create or get analysis manager
    // ...

    // Create histograms
    analysisManager->CreateH1("EDep", "Energy deposit", 100, 0., 800*MeV);
    analysisManager->CreateH1("TLen", "Track length", 100, 0., 100*mm);
}
```

3) Open a File

- Example of opening a file

RunAction.cc

```
#include "G4AnalysisManager.hh"

void RunAction::BeginOfRunAction(const G4Run* run)
{
    // Get analysis manager
    auto analysisManager = G4AnalysisManager::Instance();

    // Open an output file
    analysisManager->OpenFile("MyFile");
}
```

*The filename extension can be omitted as the default file type was set previously;
otherwise the full name "MyFile.root" should be provided*

4) Fill Histograms

- Example of filling one-dimensional histograms

EventAction.cc

```
#include "G4AnalysisManager.hh"

void EventAction::EndOfEventAction(const G4Event* event)
{
    // Get analysis manager
    auto analysisManager = G4AnalysisManager::Instance();

    // Fill histograms
    AnalysisManager->FillH1(0, fEdep);
    AnalysisManager->FillH1(1, fTrackLength);
}
```

5) Write & Close a File

- Writing & closing a file

RunAction.cc

```
#include "G4AnalysisManager.hh"

void RunAction::EndOfRunAction(const G4Run* run)
{
    // Get analysis manager
    auto analysisManager = G4AnalysisManager::Instance();

    // Write and close the output file
    analysisManager->Write();
    analysisManager->CloseFile();
}
```

Using Geant4 Analysis

Basic steps:

- 1) Create `G4AnalysisManager` ... in RunAction constructor
- 2) Book (create) your histograms, ntuples ... in RunAction constructor
- 3) Open a file ... in BeginOfRunAction()
- 4) Fill values in histograms, ntuples ... anywhere
(during event processing)
- 5) Write & close file ... in EndOfRunAction()

Performing the steps in the suggested class&method is not obligatory, but it guarantees correct functioning in multi-threaded mode

Histograms

- 1D, 2D, 3D histograms and 1D, 2D profile histograms available
- Histogram identifiers
 - The histogram identifier (an integer value) is automatically generated when a histogram is created by the analysis manager `CreateH1` function, and its value is returned from this function.
 - It is used eg. in `FillH1(id, value)`
 - The default start value `0` can be changed (eg. to `1`) with the `SetFirstH1Id(G4int)` method.
 - The 1D, 2D and 3D histograms IDs are defined independently
- Histogram objects
 - It is also possible to access directly the histogram by the `GetH1(G4int id)` function.

```
G4cout << "Print histograms statistic \n" << G4endl;  
G4cout << " EAbs : mean = " << analysisManager->GetH1(1)->mean()  
      << " rms = " << analysisManager->GetH1(1)->rms() << G4endl;
```

Histogram Options

- The properties, additional to those defined in g4tools, can be added to histograms via G4AnalysisManager
 - **Unit**: if defined, all filled values are automatically converted to this defined unit
 - **Function**: if defined, the function is automatically executed on the filled values (can be `log`, `log10`, `exp`)
 - **Binning scheme**: users can define a non-equidistant binning scheme (passing a vector of bin edges)
 - **ASCII option**: if activated the histogram is also printed in an ASCII file when `G4AnalysisManager::Write()` function is called.
 - **Activation**: users can activate/inactivate selected histograms

Book (Create) an Ntuple

- An n-tuple is a sequence (or ordered list) of n elements (quantities), that may be of different types
- The sets are written in a file in a serial way: we often speak about **rows** and **columns**; row is one set recorded, a column is the set of all records of one quantity
- Example of creating an ntuple

```
RunAction::RunAction() RunAction.cc
{
    // Create or get analysis manager
    // ...
    // Create ntuple
    analysisManager->CreateNtuple("MyNtuple", "Edep and TrackLength");
    analysisManager->CreateNtupleDColumn("Eabs");
    analysisManager->CreateNtupleDColumn("Labs");
    analysisManager->FinishNtuple();
}
```

Fill an Ntuple

- Example of filling an ntuple

EventAction.cc

```
void EventAction::EndOfEventAction(const G4Event* event)
{
    // Get analysis manager
    auto analysisManager = G4AnalysisManager::Instance();

    // Fill ntuple
    analysisManager->FillNtupleDColumn(0, fEnergyAbs);
    analysisManager->FillNtupleDColumn(1, fTrackLAbs);
    analysisManager->AddNtupleRow();
}
```

Ntuples

- Ntuple and Ntuple Column Identifiers
 - Automatically generated when the ntuple or ntuple column is created by the `CreateNtuple()` or `CreateNtupleTColumn()` function and its value is returned from this function.
 - The default start value 0 can be again changed with the `SetFirstNtupleId(G4int)` and `SetFirstNtupleColumnId(G4int)` methods
- The ntuple column ID is not specific to the ntuple column type
- Available column types:
 - `integer (I)`, `float (F)`, `double (D)`, `std::string (S)`
 - `std::vector` of these types

Analysis UI Commands

- Many settings can be performed with UI command
 - General options like the verbose level
 - Global and per object file and directory names
 - Histogram and profile properties per object
- Defined in `/analysis` directory
- See more details in the Analysis section in the [Application Developer Guide](#)

Generic Analysis Manager

- New since 10.7 and the default since 11.0, the analysis manager class is capable to mix output file formats
- Alias to `G4AnalysisManager` is defined in `G4AnalysisManager.hh`

G4AnalysisManager.hh

```
#ifndef G4AnalysisManager_h
#define G4AnalysisManager_h

#include "G4GenericAnalysisManager.hh"

using G4AnalysisManager = G4GenericAnalysisManager;

#endif
```

Generic Analysis Manager (2)

- Users can choose to write selected objects in a different file than the default one using the G4AnalysisManager functions:

```
void SetH1FileName(G4int objectId, const G4String& name);  
    //... etc. for H2, H3, P1, P2  
void SetNtupleFileName(G4int objectId, const G4String& name);
```

- The setting can be also performed with UI commands
- While it is possible to mix output types for histogram and profiles objects, *only one output type is supported for ntuples.*

Output File(s)

- Depending on a selected file format, multiple output files can be produced
- ROOT, HDF5
 - All histograms, profiles and ntuples are written in one file
- XML
 - The histograms and profiles are written in one file
 - Each ntuple is written in a separate file
- CSV
 - Each histogram, profile and ntuple are written in a separate file
- File names are generated automatically:
 - `fileName[_objectName].ext`
 - where ext = `xml`, `csv`

Analysis Reader

- It allows to read in g4analysis objects from the files generated by the analysis manager during processing a Geant4 application.
- Available for each supported output format
 - There is no “Generic” analysis reader class allowing to mix reading types
 - The reader of output specific type must be included; e.g
`#include G4RootAnalysisReader.hh`
- The histograms and profiles objects handled by the analysis reader are of the same type as those handled by analysis manager, the ntuple objects are of different types

Batch Graphics

- Users can activate plotting of selected histograms and profiles using G4AnalysisManager functions:

```
// Activate plotting of 1D histogram  
analysisManager->SetH1Plotting(id, true);  
// etc for H2, H3, P1, P2
```

- Or via UI command

```
/analysis/h1/setPlotting id true|false  
/analysis/h1/setPlottingToAll true|false  
## etc for h2, h3, p1, p2
```

- The selected objects will be plotted in a single postscript file with the page size fixed to A4 format

Plotting Style

- Set plotting style

```
/analysis/plot/setStyle styleName
```

- `ROOT_default` (default), `hippodraw`: high resolution fonts
- `inlib_default`: low resolution fonts
- High resolution fonts are available only if Geant4 libraries are built with the support for Freetype font rendering


- The page layout

```
/analysis/plot/setLayout columns rows
```

- The number columns and the number of rows in a page.
- The maximum number of plots is limited according to selected style.

Interactive Graphics

- Since version 11, the Geant4 visualization system is equipped to be able to do plotting, then to have a representation (a plot) of 1D or 2D histograms within a Geant4 visualization viewer.
- Currently only new **ToolsSG** visualization driver has this feature
- Demonstrated in the basic [B5 example](#) `plotter.mac` macro



Resetting Data

- By default the histogram and ntuple data are reset at the `CloseFile()` call at the end of run action
- But for interactive plotting we need to keep to have these data available – resetting can be postponed to the begin of the next run

```
void RunAction::BeginOfRunAction(const G4Run* run) {  
    // ...  
    analysisManager->Reset();  
    analysisManager->OpenFile("MyFile");  
}  
  
void RunAction::EndOfRunAction(const G4Run* run) {  
    // ...  
    AnalysisManager->Write();  
    analysisManager->CloseFile(false);  
}
```

Analysis of Generated Files With External Tools

Plotting ROOT files
... with ROOT

ROOT

<https://root.cern.ch/>

ROOT is a powerful analysis tools which provides

- histogramming and graphing to view and analyze distributions and functions
- curve fitting (regression analysis) and minimization of functionals, statistics tools used for data analysis,
- matrix algebra, four-vector computations, standard mathematical functions, multivariate data analysis, e.g. using neural networks,
- persistence and serialization of objects, which can cope with changes in class definitions of persistent data, creating files in various graphics formats, like PostScript, PNG, SVG
- 3D visualizations (geometry), image manipulation, used, for instance, to analyze astronomical pictures
- access to distributed data (in the context of the Grid), distributed computing, to parallelize data analyses, access to databases,
- ...

Viewing ROOT Files

- Start a ROOT session

```
$> root
```

- Open a ROOT browser in the ROOT interactive shell

```
root [0] TBrowser b;
```

- See the ROOT documentation
 - How to edit histogram properties
 - How to open Fit panel
 - How to write ROOT macros

Viewing ROOT Files (2)

ROOT Object Browser

Browser File Edit View Options Tools Help

Files

Draw Option: [v]

Canvas_1 [x] Editor 1 [x]

Edep in gap (MeV)

Entries	2
Mean	23.82
RMS	7.317

Command []

Command (local): [v]

Filter: All Files (*.*)

File generated In Geant4 simulation

Selected H1 is automatically drawn in the canvas

Using ROOT in a Geant4 Application

- Extended examples [analysis/AnaEx01, 02](#) demonstrate how to make histograms and ntuples with g4analysis (AnaEx01) and ROOT (AnaEx02)
 - https://geant4-userdoc.web.cern.ch/Doxygen/examples_doc/html/Examples_analysis.html (link)
- The same scenario is implemented in shared classes
- All histogram/ntuples manipulations are located in one class: [HistoManager](#), implementation of which is different in each example.
- The CMake configuration file demonstrates how to link Geant4 application with ROOT

Analysis of Generated Files With External Tools


Plotting CSV Files
GNUplot, Excel, Open[Libre]Office

Plotting CSV Files

- **Gnuplot** is a portable command-line driven interactive data and function plotting utility
 - <http://www.gnuplot.info/>
- **Excel**:
 - The .csv file can be imported as a text file and then processed as the data in spreadsheet
- **Open[Libre]Office**
 - The .csv file can be open from the “File” menu as “Text CSV” file
 - <http://www.openoffice.org/>
 - <http://www.libreoffice.org>

Examples of plots from Gnuplot

Thanks to J. Perl, M. Kelsey (SLAC)



Summary

- Geant4 provides a lightweight analysis tools as part of distribution
- The Geant4 analysis is now used in all basic, extended and most of advanced examples
- Users can also choose to use an external package and link their application against its libraries