

GEANT4
A SIMULATION TOOLKIT

EM

Hadronic

Optical

Physics I : Physics Lists

Geant4 PHENIICS & ANF IN2P3 Tutorial,
22 – 26 May 2023,
Orsay

Marc Verderi
LLR, Ecole polytechnique


Credits...

- › Daniel Brandt, Makoto Asai, Dennis Wright (SLAC),
- › Gunter Folger (CERN), etc.

EM

Hadronic

Optical



Outline

- Introduction
- The G4VUserPhysicsList class
- Modular physics lists
- Pre-packaged or reference physics lists



EM

Hadronic

Optical

Introduction

What is a physics list and why do we need one?

What is a Physics List?

- › A class which collects all
 - the particles,
 - physics processes,
 - and production thresholds,needed for your application.

EM

Hadronic

Optical

What is a Physics List?

- › A class which collects all
 - the particles,
 - physics processes,
 - and production thresholds,needed for your application.
- › It is passed to the run manager as the “physics configuration” of your application

EM

Hadronic

Optical

What is a Physics List?

- › A class which collects all
 - the particles,
 - physics processes,
 - and production thresholds,needed for your application.
- › It is passed to the run manager as the “physics configuration” of your application
- › It is one of the three mandatory classes that must exist in your simulation:
 - Remember, the two other ones are
 - › detector construction and
 - › primary generation action.

EM

Hadronic

Optical

In many practical cases...

- › You will not need the details in this presentation !

EM

Hadronic

Optical

In many practical cases...

- > You will not need the details in this presentation !



EM

Hadronic

Optical

In many practical cases...

- › You will not need the details in this presentation !
- › Because Geant4 provides “pre-packaged physics lists”
 - Also called “reference physics lists”
- › These have nicknames like:

FTFP_BERT_HP

EM


Hadronic

Optical

In many practical cases...

- › You will not need the details in this presentation !
- › Because Geant4 provides “pre-packaged physics lists”
 - Also called “reference physics lists”

- › These have nicknames like:



EM


Hadronic

Optical

In many practical cases...

- › You will not need the details in this presentation !
- › Because Geant4 provides “pre-packaged physics lists”
 - Also called “reference physics lists”

- › These have nicknames like:



- › They cover most of the “use cases”, and are part of the routine testing and validation of Geant4
 - Reference physics lists are the most tested
 - Several of them are used in (heavy) production by experiments
- › But sometimes users (you) want to customize their physics lists
 - This is possible in Geant4
 - At various levels of granularity
 - And for this, you need to know about “physics list”.



EM

Hadronic

Optical

The G4VUserPhysicsList class

The fundamental class

G4VUserPhysicsList

- › G4VUserPhysicsList is the base class for physics list
- › It defines three mandatory (pure virtual) methods:
 - ConstructParticle() :
 - › choose all the particles you need in your simulation
 - ConstructProcess() :
 - › for each particle, assign all the physics processes needed in your simulation
 - › *What's a process ?*
 - a class that implements how a particle interacts with matter
 - more on this later
 - SetCuts() :
 - › set the range cuts for secondary production
 - › *What's a range cut ?*
 - a production threshold for secondary particles
 - more on this later
- › These methods are called by the “run manager”.

G4VUserPhysicsList : an example

- Your physics list header hence looks like:

```
#include "G4VUserPhysicsList.hh"

class MyPhysicsList: public G4VUserPhysicsList
{
    public:
        MyPhysicsList();
        ~MyPhysicsList();
        void ConstructParticle();
        void ConstructProcess();
        void SetCuts();
};
```

EM

Hadronic

Optical

G4VUserPhysicsList : an example

- Your physics list header hence looks like:

```
#include "G4VUserPhysicsList.hh"

class MyPhysicsList: public G4VUserPhysicsList
{
    public:
        MyPhysicsList();
        ~MyPhysicsList();
        void ConstructParticle();
        void ConstructProcess();
        void SetCuts();
};
```

- Let's look at these method implementations
 - and possible variations on these.

ConstructParticle() (1/2)

- › You have several ways to implement this method.
- › The most granular approach:

```
void MyPhysicsList::ConstructParticle()  
{  
    G4Electron::ElectronDefinition();  
    G4Proton::ProtonDefinition();  
    G4Neutron::NeutronDefinition();  
    G4Gamma::GammaDefinition();  
    ...  
    ...  
}
```

Eg : mandatory call to make the « gamma » particle type existing in memory

ConstructParticle() (2/2)

- › A more global approach, using “constructors”
 - Utility classes that gather the proper G4XXX::XXXDefinition() calls

```
void MyPhysicsList::ConstructParticle()
{
    G4BaryonConstructor* baryonConstructor =
        new G4BaryonConstructor();
    baryonConstructor->ConstructParticle();
    delete baryonConstructor;

    G4BosonConstructor* bosonConstructor =
        new G4BosonConstructor();
    bosonConstructor->ConstructParticle();
    delete bosonConstructor;
    ...
    ...
}
```

ConstructParticle() (2/2)

- › A more global approach, using “constructors”
 - Utility classes that gather the proper G4XXX::XXXDefinition() calls

```
void MyPhysicsList::ConstructParticle()
{
    G4BaryonConstructor* baryonConstructor =
        new G4BaryonConstructor();
    baryonConstructor->ConstructParticle();
    delete baryonConstructor;

    G4BosonConstructor* bosonConstructor =
        new G4BosonConstructor();
    bosonConstructor->ConstructParticle();
    delete bosonConstructor;
    ...
    ...
}
```

G4XXX::XXXDefinition() calls happen here

ConstructProcess()

- › Process construction can also be made in several ways
 - Not showing everything here
- › For convenience here, we split ConstructProcess() as:

```
void MyPhysicsList::ConstructProcess()  
{  
    AddTransportation();  
    // method provided by G4VUserPhysicsList : assigns transportation  
    // process to all particles defined in ConstructParticle()  
  
    ConstructEM();  
    // method may be defined by user (for convenience)  
    // put electromagnetic physics here  
  
    ConstructGeneral();  
    // method may be defined by user to hold all other processes  
}
```

Transportation “process” cares about geometry and fields, and updates coordinates of particles



ConstructProcess() : ConstructEM()

```
void MyPhysicsList::ConstructEM()
{
    G4PhysicsListHelper* ph = G4PhysicsListHelper::GetPhysicsListHelper();
    theParticleIterator->reset();
    while( (*theParticleIterator)() )
    {
        G4ParticleDefinition* particle = theParticleIterator->value();
        if (particle == G4Gamma::Gamma() )
        {
            ph->RegisterProcess(new G4GammaConversion(), particle);
            ... // add more processes
        }
        ... // do electrons, positrons, etc.
    }
}
```

ConstructProcess() : ConstructEM()

```
void MyPhysicsList::ConstructEM()  
{  
    G4PhysicsListHelper* ph = G4PhysicsListHelper::GetPhysicsListHelper();  
    theParticleIterator->reset();  
    while( (*theParticleIterator)() )  
    {  
        G4ParticleDefinition* particle = theParticleIterator->value();  
        if (particle == G4Gamma::Gamma() )  
        {  
            ph->RegisterProcess(new G4GammaConversion(), particle);  
            ... // add more processes  
        }  
        ... // do electrons, positrons, etc.  
    }  
}
```

This is an helper tool : you can go even more granular, specifying the ordering execution of process methods.

EM

Hadronic

Optical

ConstructProcess() : ConstructGeneral()

```
void MyPhysicsList::ConstructGeneral()
{
    G4PhysicsListHelper* ph = G4PhysicsListHelper::GetPhysicsListHelper();
    // Add decay process
    G4Decay* theDecayProcess = new G4Decay();
    theParticleIterator->reset();
    while( (*theParticleIterator)() )
        {
            G4ParticleDefinition* particle = theParticleIterator->value();
            if (theDecayProcess->IsApplicable(*particle) )
                {
                    ph->RegisterProcess(theDecayProcess, particle);
                }
        }
    // Add other physics
    ...
}
```

ConstructProcess() : SetCuts()

```
void MyPhysicsList::SetCuts()
{
    defaultCutValue = 0.7*mm;
    SetCutValue(defaultCutValue, "gamma");
    SetCutValue(defaultCutValue, "e-");
    SetCutValue(defaultCutValue, "e+");
    SetCutValue(defaultCutValue, "proton");
    //
    // These are the production cuts you need to set
    // - not required for any other particle
}
```



EM

Hadronic

Optical

Modular physics lists

Building physics lists by “physics modules”

From flat list to “physics blocks”

- A realistic physics list has many particles and physics processes
 - Writing such a physics list as a “flat list” makes it long,
 - Complicated, hard to read,
 - And hard to maintain !
- Geant4 adopted a “modular physics list” approach:
 - Physics is organized by “physics modules”
 - EM physics, hadronic physics, optical physics, etc.
 - And you register the physics modules your are interested in in your “modular physics list”
- Still :
 - Starting from the base class G4VUserPhysicsList remains possible
 - You are free to use or not these functionalities
 - Again: this is a “toolkit” approach

EM

Hadronic

Optical

G4VModularPhysicsList

- › Derived from G4VUserPhysicsList
 - It is a G4VUserPhysicsList in the C++ sense
 - I.e., in header file of this class you find:
 - › `class G4VModularPhysicsList : public G4VUserPhysicsList {...};`
- › A G4VModularPhysicsList object registers “physics modules”, eg:
`someModularPhysicsList->Register(new DecayPhysics());`

EM

Hadronic

Optical

G4VModularPhysicsList

- › Derived from G4VUserPhysicsList
 - It is a G4VUserPhysicsList in the C++ sense
 - I.e., in header file of this class you find:
 - › `class G4VModularPhysicsList : public G4VUserPhysicsList {...};`
- › A G4VModularPhysicsList object registers “physics modules”, eg:
`someModularPhysicsList->Register(new DecayPhysics());`
- › The “physics module” class itself is:
G4VPhysicsConstructor
- › Which defines two methods:
 - **virtual void ConstructParticle();**
 - › As with G4VUserPhysicsList : it is to declare the particle types used
 - **virtual void ConstructProcess();**
 - › As with G4VUserPhysicsList : it is to associate processes to above particles
- › AddTransportation() automatically called for all registered particles


Example : FTFP_BERT_HP constructor

```
G4DataQuestionnaire it(photon, neutron);
G4cout << "<<< Geant4 Physics List simulation engine: FTFP_BERT_HP 2.0"<<G4endl;
G4cout <<G4endl;
this->defaultCutValue = 0.7*CLHEP::mm;
this->SetVerboseLevel(ver);
// EM Physics
this->RegisterPhysics( new G4EmStandardPhysics(ver) );
// Synchrotron Radiation & Gamma/lepto-Nuclear Physics
this->RegisterPhysics( new G4EmExtraPhysics(ver) );
// Decays
this->RegisterPhysics( new G4DecayPhysics(ver) );
// Hadron Elastic scattering
this->RegisterPhysics( new G4HadronElasticPhysicsHP(ver) );
// Hadron Physics
this->RegisterPhysics( new G4HadronPhysicsFTFP_BERT_HP(ver) );
// Stopping Physics
this->RegisterPhysics( new G4StoppingPhysics(ver) );
// Ion Physics
this->RegisterPhysics( new G4IonPhysics(ver) );
```

Example : FTFP_BERT_HP constructor

```
G4DataQuestionnaire it(photon, neutron);
G4cout << "<<< Geant4 Physics List simulation engine: FTFP_BERT_HP 2.0"<<G4endl;
G4cout <<G4endl;
this->defaultCutValue = 0.7*CLHEP::mm;
this->SetVerboseLevel(ver);
// EM Physics
this->RegisterPhysics( new G4EmStandardPhysics(ver) );
// Synchrotron Radiation & Gamma/lepto-Nuclear Physics
this->RegisterPhysics( new G4EmExtraPhysics(ver) );
// Decays
this->RegisterPhysics( new G4DecayPhysics(ver) );
// Hadron Elastic scattering
this->RegisterPhysics( new G4HadronElasticPhysicsHP(ver) );
// Hadron Physics
this->RegisterPhysics( new G4HadronPhysicsFTFP_BERT_HP(ver) );
// Stopping Physics
this->RegisterPhysics( new G4StoppingPhysics(ver) );
// Ion Physics
this->RegisterPhysics( new G4IonPhysics(ver) );
```

These derive from G4VPhysicsConstructor



Example : FTFP_BERT_HP constructor

```
G4DataQuestionaire it(photon, neutron);
G4cout << " <<< Geant4 Physics List simulation engine: FTFP_BERT_HP 2.0" << G4endl;
G4cout << G4endl;
this->defaultCutValue = 0.7*CLHEP::mm;
this->SetVerboseLevel(ver);
// EM Physics
this->RegisterPhysics( new G4EmStandardPhysics(ver) );
// Synchrotron Radiation & Gamma/lepto-Nuclear Physics
this->RegisterPhysics( new G4EmExtraPhysics(ver) );
// Decays
this->RegisterPhysics( new G4DecayPhysics(ver) );
// Hadron Elastic scattering
this->RegisterPhysics( new G4HadronElasticPhysicsHP(ver) );
// Hadron Physics
this->RegisterPhysics( new G4HadronPhysicsFTFP_BERT_HP(ver) );
// Stopping Physics
this->RegisterPhysics( new G4StoppingPhysics(ver) );
// Ion Physics
this->RegisterPhysics( new G4IonPhysics(ver) );
```



```

void G4EmExtraPhysics::ConstructParticle()
{
  G4Gamma::Gamma();
  G4Electron::Electron();
  G4Positron::Positron();
  G4MuonPlus::MuonPlus();
  G4MuonMinus::MuonMinus();
}

```

```

void G4EmExtraPhysics::ConstructProcess()
{
  ...
  ...
  if (synchOn)      BuildSynch();
  if (gammNucOn)   BuildGammaNuclear();
  if (muNucOn)     BuildMuonNuclear();
}

```

```

this->RegisterPhysics( new G4EmStandardPhysics(ver) );
// Synchrotron Radiation & Gamma/lepto-Nuclear Physics
this->RegisterPhysics( new G4EmExtraPhysics(ver) );
// Decays
this->RegisterPhysics( new G4DecayPhysics(ver) );
// Hadron Elastic scattering
this->RegisterPhysics( new G4HadronElasticPhysicsHP(ver) );
// Hadron Physics
this->RegisterPhysics( new G4HadronPhysicsFTFP_BERT_HP(ver) );
// Stopping Physics
this->RegisterPhysics( new G4StoppingPhysics(ver) );
// Ion Physics
this->RegisterPhysics( new G4IonPhysics(ver) );

```



```

void G4EmExtraPhysics::ConstructParticle()
{
  G4Gamma::Gamma();
  G4Electron::Electron();
  G4Positron::Positron();
  G4MuonPlus::MuonPlus();
  G4MuonMinus::MuonMinus();
}

```

```

void G4EmExtraPhysics::ConstructProcess()
{
  ...
  ...
  if (synchOn)      BuildSynch();
  if (gammNucOn)   BuildGammaNuclear();
  if (muNucOn)     BuildMuonNuclear();
}

```

```

this->RegisterPhysics( new G4EmStandardPhysics(ver) );
// Synchrotron Radiation & Gamma/lepto-Nuclear Physics
this->RegisterPhysics( new G4EmExtraPhysics(ver) );
// Decays

```

```

void G4EmExtraPhysics::BuildSynch()
{
  ...
  ...
  pManager = G4Electron::Electron()->GetProcessManager();
  G4SynchrotronRadiation* theElectronSynch = new G4SynchrotronRadiation();
  pManager->AddDiscreteProcess(theElectronSynch);
  ...
  ...
}

```



Physics Constructors Catalogue Overview

Defined in `geant4/source/physics_lists/constructors`

> **Physics constructors directories:**

- decay
 - > Decay physics, radioactive decay
- electromagnetic
 - > « standard » & low energy EM, optical, DNA
- `gamma_lepto_nuclear`
 - > Gamma and lepto-nuclear + synchrotron
- `hadron_elastic`
 - > Elastic hadronic physics, includes ions
- `hadron_inelastic`
 - > Inelastic hadronic physics options
- `ions`
 - > Inelastic hadronic physics for ions
- `stopping`
 - > At rest absorption physics

> **« Technical » constructors directory:**

- `limiters`
 - > Constructors to add special functionalities to physics lists
- > **Special cuts:**
 - Add process to kill tracks by max time, min E kin, with a dedicated constructor for neutrons
- > **Biasing:**
 - Options to add biasing processes or to bias physics processes
- > **Parallel world:**
 - Activate simultaneous navigation in different & parallel geometries
- > **Fast simulation:**
 - Activate shortcut to standard tracking for fast simulation

G4VUserPhysicsList

ConstructParticles()

Direct calls to particle construction methods:

eg: `G4Electron::ElectronDefinition();`

Or using particle constructors:

eg: `G4BaryonConstructor`

ConstructProcesses()

Direct assignement of processes to particles:

eg: `ph->RegisterProcess(new
G4GammaConversion(), particle);`

SetCuts()

Set cuts to electron, gamma, positron and proton.

Mandatory methods (you must provide)

Methods provided (not to implement)

Optional methods

G4VUserPhysicsList

Inherit from

G4VModularPhysicsList

RegisterPhysics(G4VPhysicsConstructor*)

Used to collect the physics constructors

ConstructParticles()

For info: simple loop on collected physics constructors, calling “ConstructParticles()” of each.

ConstructProcess()

For info: simple loop on collected physics constructors, calling “ConstructProcesses()” of each.

SetCuts()

Set cuts to electron, gamma, positron and proton.

Mandatory methods (you must provide)

Methods provided (not to implement)

Optional methods

G4VUserPhysicsList

Inherit from

G4VModularPhysicsList

RegisterPhysics(G4VPhysicsConstructor*)

Used to collect the physics constructors

ConstructParticles()

For info: simple loop on collected physics constructors, calling “ConstructParticles()” of each.

ConstructProcesses()

For info: simple loop on collected physics constructors, calling “ConstructProcesses()” of each.

SetCuts()

Set cuts to electron, gamma, positron and proton.

Mandatory methods (you must provide)

Methods provided (not to implement)

Optional methods

G4VPhysicsConstructor

ConstructParticles()

Direct calls to particle construction methods:

eg: G4Electron::ElectronDefinition();

Or using particle constructors:

eg: G4BaryonConstructor

ConstructProcesses()

Direct assignment of processes to particles:

eg: ph->RegisterProcess(new
G4GammaConversion(), particle);



EM

Hadronic

Optical

Reference Physics Lists

Pre-packaged or Reference Physics Lists

- › The pre-packaged physics list are a set of physics lists based on G4VModularPhysicsList and which respond to frequent use-cases.
 - HEP, medical, shielding, etc...
- › Each pre-packaged physics list includes different choices of EM and hadronic physics
 - These choices are embodied in “physics constructors”
- › These physics lists can be found on the Geant4 web page at
 - <https://geant4-userdoc.web.cern.ch/UsersGuides/PhysicsListGuide/html/index.html>
 - And subsequent “Reference Physics Lists” link.
- › Please be critical:
 - When choosing a physics list : does it cover your needs ?
 - Of course you are invited anyway to perform relevant validations.

The image displays three overlapping screenshots of the Geant4 PhysicsListGuide website. The leftmost screenshot shows the 'Guide for Physics Lists' page, which includes a search bar, a table of contents, and a list of physics list categories: Bibliography, Reference Physics Lists (FTFP_BERT, QBBC, QGSP_BERT, QGSP_BIC, Shielding), and Electromagnetic physics constructors (EM physics constructors, EM Opt0-4, EM Llv). The middle screenshot shows the 'Reference Physics Lists' page, detailing the components of various physics lists and providing a more granular table of contents. The rightmost screenshot shows the 'Electromagnetic physics constructors' page, which describes the various electromagnetic physics constructors and their effects on simulation performance, along with a detailed table of contents for these constructors.

Pre-packaged Physics Lists

> Hadronic parts:

- FTFP_BERT, FTFP_BERT_HP, FTFP_INCLXX
- FTFP_BERT_ATL, FTFP_BERT_TRV, FTFQGSP_BERT
- QGSP_BERT, QGSP_BERT_HP, QGSP_INCLXX
- QGSP_BIC, QGSP_BIC_AllHP, QGSP_BIC_HP
- QGSP_FTFP_BERT
- FTF_BIC, QGS_BIC
- QBBC
- Shielding, ShieldingLEND
- LBE
- NuBeam

Used++ in production

> EM suffix options:

- "" : Standard (in HEP measure...) EM physics
- _EMV, _EMX : fast options for high-energy physics
- _EMY, _EMZ, _LIV, _PEN : more precise options (medical & space applications)
- _GS : option using Goudsmit-Saunderson multiple scattering model
- _LE more precise MSC for e+ & e-, 5D γ conversion, Lindhard-Sorensen for ion ionisation
- _WVI more precise MSC for e+ and e-
- _SS multiple scattering models replaced by single scattering ones (CPU expensive !)

EM

Hadronic

Optical

EM

Hadronic

Optical

Physics list factory

Shielding

QGSP_INCLXX

QGSP_BIC_HP

QGSP_BERT

FTFP_BERT



Physics lists and the physics list factory

- › To make use of existing physics lists, you have two choices
- › You can instantiate the physics list, and set it to the run manager:

```
#include "FTFP_BERT.hh"  
...  
G4VMuonPhysicsList* physicsList = new FTFP_BERT;  
runManager->SetUserInitialization(physicsList);
```

- › Or you can use the “physics list factory” utility either:
 - Getting the physics list by name:

```
#include "G4PhysListFactory.hh"  
...  
G4PhysListFactory physListFactory;  
G4VMuonPhysicsList* physicsList  
= physListFactory.GetReferencePhysList("FTFP_BERT");  
runManager->SetUserInitialization(physicsList);
```

- › You can (and should) check before if this physics list name exists, with:

```
physListFactory.IsReferencePhysList("FTFP_BERT");
```

- Or getting the physics from the environment variable PHYSLIST:

```
physicsList = physListFactory.ReferencePhysList();
```

EM

Hadronic

Optical

Summary

- All the particles, physics processes and production cuts needed for an application must go into a physics list
 - And you pass this physics list to the run manager
- Two kinds of physics list classes are available for users to derive from
 - G4VUserPhysicsList – for relatively simple physics lists
 - G4VModularPhysicsList – for advanced physics lists
- Pre-packaged physics lists are provided by Geant4
 - Electromagnetic physics lists
 - Electromagnetic + hadronic physics lists
 - ... and other options
 - These can be used as starting point in dedicated cases
- You must be critical in choosing the physics to use

EM

Hadronic

Optical